
The language revision to Chapter 11 Section 1102 of the MCZO is as follows:

1112.3.2. ~~**Approved bottom-mounted outdoor advertising Off-site Sign fixture(s):**~~ An approved fixture design shall mean a system of lighting which is installed at the lower portion of an outdoor advertising sign board and consists of no more than **four** individual fixtures (or lamps) per sign face; produces a maximum of **40,000 lumens per fixture**; and spills or casts beyond the sign face no more than **1,017 lumens per fixture**.

1112.3.2: **OFFSITE SIGN (BILLBOARD) EXTERNAL LIGHTING:**

1. LIGHTING SHALL INSTALLED SUCH THAT THE SIGN IS ILLUMINATED FROM TOP DOWN TO PREVENT GLARE AND LIGHT TRESPASS.
2. LIGHT FIXTURES SHALL BE FULLY SHIELDED.
3. Shall consist of no more than **four** individual fixtures (or lamps) per sign face; produces a maximum of **40,000 lumens per fixture**

ARTICLE 1112.7 OTHER EXEMPTIONS FROM OUTDOOR LIGHTING PROVISIONS:

1112.7.1. **Bottom-Mounted Outdoor Advertising Lighting:** Outdoor advertising sign boards which exceed **301 square feet** per sign face and consist of panels which are designed to be removed from the top of the sign board are exempt from the provisions of this Ordinance if and is illuminated by an approved bottom-mounted outdoor advertising fixture shall be equipped with an automatic device which shuts off the fixture between midnight and sunrise.